

Complaint	Code	Level	Subset	Determinant Descriptors	Codes	Call Type	Mode
Abdominal Pains/Problems	1	D	1	Not alert	1-D-1	Pri 1, Med Emer	
		C	1	SUSPECTED aortic aneurysm (tearing/ripping pain) ≥ 50	1-C-1	Pri 2, Med Emer	
		C	2	Known aortic aneurysm	1-C-2	Pri 2, Med Emer	
		C	3	Fainting or near fainting ≥ 50	1-C-3	Pri 2, Med Emer	
		C	4	Females with fainting or near fainting 12-50	1-C-4	Pri 2, Med Emer	
		C	5	Males with pain above navel ≥ 35	1-C-5	Pri 2, Med Emer	
		C	6	Females with pain above naval ≥ 45	1-C-6	Pri 2, Med Emer	
		A	1	Abdominal pain	1-A-1	Transfer to Alternate Agency	
Allergies (Reactions) / Envenomations (Stings,Bites)	2	E	1	INEFFECTIVE BREATHING *(to be selected from Case Entry only)	2-E-1	Pri 1, Med Emer	
		D	1	Not alert	2-D-1	Pri 1, Med Emer	
		D	2	DIFFICULTY SPEAKING BETWEEN BREATHS	2-D-2	Pri 1, Med Emer	
		D	3	Swarming ATTACK (bee, wasp, hornet)	2-D-3	Pri 1, Med Emer	
		D	4	Snakebite	2-D-4	Pri 2, Med Emer	
		C	1	Difficulty breathing or swallowing	2-C-1	Pri 2, Med Emer	
		C	2	History of severe allergic reaction	2-C-2	Pri 2, Med Emer	
		B	1	Unknown status/Other codes not applicable	2-B-1	Pri 2, Med Emer	Quiet
		A	1	No difficulty breathing or swallowing (rash, hives, or itching may be present)	2-A-1	Transfer to Alternate Agency	
		A	2	Spider bite	2-A-2	Transfer to Alternate Agency	

Animal Bites/Attacks	<b>3</b>	<b>D</b>	<b>1</b>	<b>Unconscious or Arrest</b>	<b>3-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>Not alert</b>	<b>3-D-2</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>3</b>	<b>Chest or Neck injury (with difficulty breathing)</b>	<b>3-D-3</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>4</b>	<b>DANGEROUS</b> body area	<b>3-D-4</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>5</b>	<b>Large animal</b>	<b>3-D-5</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>6</b>	<b>EXOTIC</b> animal	<b>3-D-6</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>7</b>	<b>ATTACK</b> or <b>multiple</b> animals	<b>3-D-7</b>	<i>Pri 1, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>POSSIBLY DANGEROUS</b> body area	<b>3-B-1</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>2</b>	<b>SERIOUS</b> hemorrhage	<b>3-B-2</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>3</b>	<b>Unknown status/Other codes not applicable</b>	<b>3-B-3</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>NOT DANGEROUS</b> body area	<b>3-A-1</b>	<i>Pri 2, Med Emer</i>	Quiet
		<b>A</b>	<b>2</b>	<b>NON-RECENT</b> (≥ 6 hours) injuries (without priority symptoms)	<b>3-A-2</b>	<i>Transfer to Alternate Agency</i>	
		<b>A</b>	<b>3</b>	<b>SUPERFICIAL</b> bites	<b>3-A-3</b>	<i>Transfer to Alternate Agency</i>	
Assault/Sexual Assault	<b>4</b>	<b>D</b>	<b>1</b>	<b>Unconscious or Arrest</b>	<b>4-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>Not alert</b>	<b>4-D-2</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>3</b>	<b>Chest or Neck injury (with difficulty breathing)</b>	<b>4-D-3</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>4</b>	<b>Multiple</b> victims	<b>4-D-4</b>	<i>Pri 1, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>POSSIBLY DANGEROUS</b> body area	<b>4-B-1</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>2</b>	<b>SERIOUS</b> hemorrhage	<b>4-B-2</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>3</b>	<b>Unknown status/Other codes not applicable</b>	<b>4-B-3</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>NOT DANGEROUS</b> body area	<b>4-A-1</b>	<i>Transfer to Alternate Agency</i>	
		<b>A</b>	<b>2</b>	<b>NON-RECENT</b> (≥ 6 hours) injuries (without priority symptoms)	<b>4-A-2</b>	<i>Transfer to Alternate Agency</i>	

Back Pain (Non-Traumatic or Non-Recent Trauma)	<b>5</b>	<b>D</b>	<b>1</b>	<b>Not alert</b>	<b>5-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>SUSPECTED</b> aortic aneurysm (tearing/ripping pain) $\geq$ <b>50</b>	<b>5-C-1</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>2</b>	<b>Known</b> aortic aneurysm	<b>5-C-2</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	<b>Fainting or near fainting</b> $\geq$ <b>50</b>	<b>5-C-3</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>NON-TRAUMATIC</b> back pain	<b>5-A-1</b>	<i>Transfer to Alternate Agency</i>	
		<b>A</b>	<b>2</b>	<b>NON-RECENT</b> ( $\geq$ 6 hours) injuries ( <b>without</b> priority symptoms)	<b>5-A-2</b>	<i>Transfer to Alternate Agency</i>	
Breathing Problems	<b>6</b>	<b>E</b>	<b>1</b>	<b>INEFFECTIVE BREATHING</b> *(to be selected from <b>Case Entry</b> only)	<b>6-E-1</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>1</b>	<b>Not alert</b>	<b>6-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>DIFFICULTY SPEAKING BETWEEN BREATHS</b>	<b>6-D-2</b>	<i>Pri 2, Med Emer</i>	
		<b>D</b>	<b>3</b>	<b>CHANGING COLOR</b>	<b>6-D-3</b>	<i>Pri 2, Med Emer</i>	
		<b>D</b>	<b>4</b>	<b>Clammy</b>	<b>6-D-4</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>Abnormal</b> breathing	<b>6-C-1</b>	<i>Pri 2, Med Emer</i>	
Burns (Scalds) / Explosion (Blast)	<b>7</b>	<b>D</b>	<b>1</b>	<b>Multiple</b> victims	<b>7-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>Unconscious</b> or <b>Arrest</b>	<b>7-D-2</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>3</b>	<b>Not alert</b>	<b>7-D-3</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>4</b>	<b>DIFFICULTY SPEAKING BETWEEN BREATHS</b>	<b>7-D-4</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>Building fire</b> with persons reported inside	<b>7-C-1</b>	<i>Building Fire</i>	
		<b>C</b>	<b>2</b>	<b>Difficulty</b> breathing	<b>7-C-2</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	<b>Burns</b> $\geq$ <b>18% body area</b>	<b>7-C-3</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>4</b>	<b>SIGNIFICANT FACIAL</b> burns	<b>7-C-4</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>Blast</b> injuries ( <b>without</b> priority symptoms)	<b>7-B-1</b>	<i>Pri 2, Med Emer</i>	

		<b>B</b>	<b>2</b>	<b>Unknown status/Other codes not applicable</b>	<b>7-B-2</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>Burns ≤ 18% body area</b>	<b>7-A-1</b>	<i>Pri 2, Med Emer</i>	Quiet
		<b>A</b>	<b>2</b>	<b>Fire alarm (unknown situation)</b>	<b>7-A-2</b>	<i>Business Alarm</i>	
		<b>A</b>	<b>3</b>	<b>Sunburn or MINOR burns (≤ hand size)</b>	<b>7-A-3</b>	<i>Transfer to Alternate Agency</i>	
Carbon Monoxide/Inhalation/Hazmat/CBRN	<b>8</b>	<b>D</b>	<b>1</b>	<b>Unconscious or Arrest</b>	<b>8-D-1</b>	<i>CO w/ Symptoms</i>	
		<b>D</b>	<b>2</b>	<b>Not alert</b>	<b>8-D-2</b>	<i>CO w/ Symptoms</i>	
		<b>D</b>	<b>3</b>	<b>DIFFICULTY SPEAKING BETWEEN BREATHS</b>	<b>8-D-3</b>	<i>CO w/ Symptoms</i>	
		<b>D</b>	<b>4</b>	<b>Multiple victims</b>	<b>8-D-4</b>	<i>CO w/ Symptoms</i>	
		<b>D</b>	<b>5</b>	<b>Unknown status/Other codes not applicable</b>	<b>8-D-5</b>	<i>CO w/ Symptoms</i>	
		<b>C</b>	<b>1</b>	<b>Alert with difficulty breathing</b>	<b>8-C-1</b>	<i>CO w/ Symptoms</i>	
		<b>B</b>	<b>1</b>	<b>Alert without difficulty breathing</b>	<b>8-B-1</b>	<i>CO w/ No Symptoms</i>	
		<b>Ω</b>	<b>1</b>	<b>Carbon monoxide detector alarm (without priority symptoms)</b>	<b>8-Ω-1</b>	<i>CO w/ No Symptoms</i>	
Cardiac or Respiratory Arrest / Death	<b>9</b>	<b>E</b>	<b>1</b>	<b>Not breathing at all</b>	<b>9-E-1</b>	<i>Pri 1, Med Emer</i>	
		<b>E</b>	<b>2</b>	<b>Breathing uncertain (AGONAL)</b>	<b>9-E-2</b>	<i>Pri 1, Med Emer</i>	
		<b>E</b>	<b>3</b>	<b>Hanging</b>	<b>9-E-3</b>	<i>Pri 1, Med Emer</i>	
		<b>E</b>	<b>4</b>	<b>Strangulation</b>	<b>9-E-4</b>	<i>Pri 1, Med Emer</i>	
		<b>E</b>	<b>5</b>	<b>Suffocation</b>	<b>9-E-5</b>	<i>Pri 1, Med Emer</i>	
		<b>E</b>	<b>6</b>	<b>Underwater</b>	<b>9-E-6</b>	<i>Water Rescue</i>	

		<b>D</b>	<b>1</b>	<b>INEFFECTIVE BREATHING</b> (discovered during Key Questioning only) * (select only when <b>linking</b> from other <b>Chief Complaint</b> Protocols)	<b>9-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>OBVIOUS</b> or <b>EXPECTED DEATH</b> questionable	<b>9-D-2</b>	<i>Pri 1, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>OBVIOUS DEATH</b> unquestionable (a through i)	<b>9-B-1</b>	<i>NOTIFY PD</i>	
		<b>Ω</b>	<b>1</b>	<b>EXPECTED DEATH</b> unquestionable (x through z)	<b>9-Ω-1</b>	<i>NOTIFY PD</i>	
Chest Pain (Non-Traumatic)	<b>10</b>	<b>D</b>	<b>1</b>	<b>Not alert</b>	<b>10-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>DIFFICULTY SPEAKING BETWEEN BREATHS</b>	<b>10-D-2</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>3</b>	<b>CHANGING COLOR</b>	<b>10-D-3</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>4</b>	<b>Clammy</b>	<b>10-D-4</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>Abnormal</b> breathing	<b>10-C-1</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>2</b>	<b>Heart attack</b> or <b>angina</b> history	<b>10-C-2</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	<b>Cocaine</b>	<b>10-C-3</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>4</b>	<b>Breathing normally</b> ≥35	<b>10-C-4</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>Breathing normally</b> ≤ 35	<b>10-A-1</b>	<i>Pri 2, Med Emer</i>	
Choking	<b>11</b>	<b>E</b>	<b>1</b>	<b>COMPLETE</b> obstruction/ <b>INEFFECTIVE BREATHING</b>	<b>11-E-1</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>1</b>	<b>Abnormal</b> breathing ( <b>PARTIAL</b> obstruction)	<b>11-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>Not alert</b>	<b>11-D-2</b>	<i>Pri 1, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>Not choking now</b> (can <b>talk</b> or <b>cry</b> , is alert and <b>breathing normally</b> )	<b>11-A-1</b>	<i>Pri 2, Med Emer</i>	
Convulsions/Seizures	<b>12</b>	<b>D</b>	<b>1</b>	<b>Not breathing</b> ( <b>after</b> Key Questioning)	<b>12-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>CONTINUOUS</b> or <b>MULTIPLE</b> seizures	<b>12-D-2</b>	<i>Pri 2, Med Emer</i>	

		<b>D</b>	<b>3</b>	<b>AGONAL/INEFFECTIVE BREATHING</b>	<b>12-D-3</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>4</b>	<b>Effective breathing not verified ≥ 35</b>	<b>12-D-4</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>FOCAL seizure (not alert)</b>	<b>12-C-1</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>2</b>	<b>Pregnancy</b>	<b>12-C-2</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	<b>Diabetic</b>	<b>12-C-3</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>Effective breathing not verified ≤ 35</b>	<b>12-B-1</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>Not seizing now and breathing effectively (verified)</b>	<b>12-A-1</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>2</b>	<b>FOCAL seizure (alert)</b>	<b>12-A-2</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>3</b>	<b>Impending seizure (aura)</b>	<b>12-A-3</b>	<i>Transfer to Alternate Agency</i>	
Diabetic Problems	<b>13</b>	<b>D</b>	<b>1</b>	<b>Unconscious</b>	<b>13-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>Not alert</b>	<b>13-C-1</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>2</b>	<b>Abnormal behavior</b>	<b>13-C-2</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	<b>Abnormal breathing</b>	<b>13-C-3</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>Alert and behaving normally</b>	<b>13-A-1</b>	<i>Pri 2, Med Emer</i>	Quiet
Drowning (Near) / Diving / SCUBA Accident	<b>14</b>	<b>D</b>	<b>1</b>	<b>Unconscious or Arrest</b>	<b>14-D-1</b>	<i>Water Rescue O Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>Not alert</b>	<b>14-D-2</b>	<i>Water Rescue O Pri 1, Med Emer</i>	
		<b>D</b>	<b>3</b>	<b>DIVING or suspected neck injury</b>	<b>14-D-3</b>	<i>Water Rescue O Pri 1, Med Emer</i>	
		<b>D</b>	<b>4</b>	<b>SCUBA accident</b>	<b>14-D-4</b>	<i>Water Rescue O Pri 1, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>Alert with abnormal breathing</b>	<b>14-C-1</b>	<i>Water Rescue O Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>Alert and breathing normally (injuries or in water)</b>	<b>14-B-1</b>	<i>Water Rescue OR Pri 2, Med Emer</i>	

		<b>B</b>	<b>2</b>	Unknown status/Other codes not applicable	<b>14-B-2</b>	Water Rescue OR Pri 2, Med Emer	
		<b>A</b>	<b>1</b>	Alert and breathing normally (no injuries and out of water)	<b>14-A-1</b>	Transfer to Alternate Agency	
Electrocution/Lightning	<b>15</b>	<b>D</b>	<b>1</b>	NOT BREATHING/INEFFECTIVE BREATHING	<b>15-E-1</b>	Pri 1, Med Emer	
		<b>D</b>	<b>1</b>	Unconscious	<b>15-D-1</b>	Pri 1, Med Emer	
		<b>D</b>	<b>2</b>	Not disconnected from power	<b>15-D-2</b>	Pri 1, Med Emer	
		<b>D</b>	<b>3</b>	Power not off or hazard present	<b>15-D-3</b>	Pri 1, Med Emer	
		<b>D</b>	<b>4</b>	EXTREME FALL (≥ 30ft/10m)	<b>15-D-4</b>	Rescue	
		<b>D</b>	<b>5</b>	LONG FALL	<b>15-D-5</b>	Pri 1, Med Emer	
		<b>D</b>	<b>6</b>	Not alert	<b>15-D-6</b>	Pri 1, Med Emer	
		<b>D</b>	<b>7</b>	Abnormal breathing	<b>15-D-7</b>	Pri 2, Med Emer	
		<b>D</b>	<b>8</b>	Unknown status/Other codes not applicable	<b>15-D-8</b>	Pri 2, Med Emer	
		<b>C</b>	<b>1</b>	Alert and breathing normally	<b>15-C-1</b>	Pri 2, Med Emer	
Eye Problems / Injuries	<b>16</b>	<b>D</b>	<b>1</b>	Not alert	<b>16-D-1</b>	Pri 1, Med Emer	
		<b>B</b>	<b>1</b>	SEVERE eye injuries	<b>16-B-1</b>	Pri 2, Med Emer	
		<b>A</b>	<b>1</b>	MODERATE eye injuries	<b>16-A-1</b>	Pri 2, Med Emer	
		<b>A</b>	<b>2</b>	MINOR eye injuries	<b>16-A-2</b>	Pri 2, Med Emer	Quiet
		<b>A</b>	<b>3</b>	MEDICAL eye problems	<b>16-A-3</b>	Transfer to Alternate Agency	
Falls	<b>17</b>	<b>D</b>	<b>1</b>	EXTREME FALL (≥ 30ft/10m)	<b>17-D-1</b>	Rescue	
		<b>D</b>	<b>2</b>	Unconscious or Arrest	<b>17-D-2</b>	Pri 1, Med Emer	
		<b>D</b>	<b>3</b>	Not alert	<b>17-D-3</b>	Pri 1, Med Emer	
		<b>D</b>	<b>4</b>	Chest or Neck injury (with difficulty breathing)	<b>17-D-4</b>	Pri 2, Med Emer	
		<b>D</b>	<b>5</b>	LONG FALL	<b>17-D-5</b>	Pri 2, Med Emer	
		<b>B</b>	<b>1</b>	POSSIBLY DANGEROUS body area	<b>17-B-1</b>	Pri 2, Med Emer	

		<b>B</b>	<b>2</b>	<b>SERIOUS</b> hemorrhage	<b>17-B-2</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>3</b>	<b>Unknown status/Other codes not applicable</b>	<b>17-B-3</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>NOT DANGEROUS</b> body area	<b>17-A-1</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>2</b>	<b>NON-RECENT</b> ( $\geq 6$ hours) injuries (without priority symptoms)	<b>17-A-2</b>	<i>Transfer to Alternate Agency</i>	
		<b>A</b>	<b>3</b>	<b>PUBLIC ASSIST</b> (no injuries and no priority symptoms)	<b>17-A-3</b>	<i>Assist with Lifting</i>	
Headache	<b>18</b>	<b>C</b>	<b>1</b>	Not alert	<b>18-C-1</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>2</b>	Abnormal breathing	<b>18-C-2</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	Speech problems	<b>18-C-3</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>4</b>	Sudden onset of severe pain	<b>18-C-4</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>5</b>	Numbness	<b>18-C-5</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>6</b>	Paralysis	<b>18-C-6</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>7</b>	Change in behavior ( $\leq 3$ hrs)	<b>18-C-7</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>Unknown status/Other codes not applicable</b>	<b>18-B-1</b>	<i>Pri 2, Med Emer</i>	Quiet
		<b>A</b>	<b>1</b>	Breathing normally	<b>18-A-1</b>	<i>Transfer to Alternate Agency</i>	
Heart Problems / A.I.C.D.	<b>19</b>	<b>D</b>	<b>1</b>	Not alert	<b>19-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>DIFFICULTY SPEAKING BETWEEN BREATHS</b>	<b>19-D-2</b>	<i>Pri 2, Med Emer</i>	
		<b>D</b>	<b>3</b>	<b>CHANGING COLOR</b>	<b>19-D-3</b>	<i>Pri 2, Med Emer</i>	
		<b>D</b>	<b>4</b>	Clammy	<b>19-D-4</b>	<i>Pri 2, Med Emer</i>	
		<b>D</b>	<b>5</b>	Just resuscitated and/or defibrillated (external)	<b>19-D-5</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>1</b>	Firing of A.I.C.D	<b>19-C-1</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>2</b>	Abnormal breathing	<b>19-C-2</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	Chest pain $\geq 35$	<b>19-C-3</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>4</b>	Cardiac history	<b>19-C-4</b>	<i>Pri 2, Med Emer</i>	

		<b>C</b>	<b>5</b>	<b>Cocaine</b>	<b>19-C-5</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>6</b>	<b>Heart rate <math>\leq</math> 50 bpm or <math>\geq</math> 130 bpm (without priority symptoms)</b>	<b>19-C-6</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>7</b>	<b>Unknown status/Other codes not applicable</b>	<b>19-C-7</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>Heart rate <math>\geq</math> 50 bpm and <math>\leq</math> 130 bpm (without priority symptoms)</b>	<b>19-A-1</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>2</b>	<b>Chest pain <math>\leq</math> 35 (without priority symptoms)</b>	<b>19-A-2</b>	<i>Pri 2, Med Emer</i>	
Heat / Cold Exposure	<b>20</b>	<b>D</b>	<b>1</b>	<b>Not alert</b>	<b>20-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>Multiple victims (with priority symptoms)</b>	<b>20-D-2</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>Heart attack or angina history</b>	<b>20-C-1</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>Change in skin color</b>	<b>20-B-1</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>2</b>	<b>Unknown status/Other codes not applicable</b>	<b>20-B-2</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>Alert</b>	<b>20-A-1</b>	<i>Transfer to Alternate Agency</i>	
Hemorrhage / Lacerations	<b>21</b>	<b>D</b>	<b>1</b>	<b>Unconscious or Arrest</b>	<b>21-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>Not alert</b>	<b>21-D-2</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>3</b>	<b>DANGEROUS hemorrhage</b>	<b>21-D-3</b>	<i>Pri 2, Med Emer</i>	
		<b>D</b>	<b>4</b>	<b>Abnormal breathing</b>	<b>21-D-4</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>Hemorrhage through TUBES</b>	<b>21-C-1</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>2</b>	<b>Hemorrhage of dialysis fistula</b>	<b>21-C-2</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>POSSIBLY DANGEROUS hemorrhage</b>	<b>21-B-1</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>2</b>	<b>SERIOUS hemorrhage</b>	<b>21-B-2</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>3</b>	<b>Bleeding disorder</b>	<b>21-B-3</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>4</b>	<b>Blood thinners</b>	<b>21-B-4</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>NOT DANGEROUS hemorrhage</b>	<b>21-A-1</b>	<i>Transfer to Alternate Agency</i>	

		<b>A</b>	<b>2</b>	<b>MINOR</b> hemorrhage	<b>21-A-2</b>	<i>Transfer to Alternate Agency</i>	
Inaccessible Incident / Other Entrapments (Non-Vehicle)	<b>22</b>	<b>D</b>	<b>1</b>	<b>Mechanical/Machinery ENTRAPMENT</b>	<b>22-D-1</b>	<i>Rescue</i>	
		<b>D</b>	<b>2</b>	Trench collapse	<b>22-D-2</b>	<i>Rescue</i>	
		<b>D</b>	<b>3</b>	<b>Structure</b> collapse	<b>22-D-3</b>	<i>Rescue</i>	
		<b>D</b>	<b>4</b>	<b>Confined</b> space <b>ENTRAPMENT</b>	<b>22-D-4</b>	<i>Rescue</i>	
		<b>D</b>	<b>5</b>	<b>Inaccessible</b> terrain situation	<b>22-D-5</b>	<i>Rescue</i>	
		<b>D</b>	<b>6</b>	<b>Mudslide/Avalanche</b>	<b>22-D-6</b>	<i>Rescue</i>	
		<b>B</b>	<b>1</b>	No longer trapped ( <b>unknown</b> injuries)	<b>22-B-1</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>2</b>	<b>PERIPHERAL ENTRAPMENT</b> only	<b>22-B-2</b>	<i>Rescue</i>	
		<b>B</b>	<b>3</b>	<b>Unknown</b> status (investigation)/ <b>Other</b> codes <b>not</b> applicable	<b>22-B-3</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	No longer trapped ( <b>no</b> injuries)	<b>22-A-1</b>	<i>Pri 2, Med Emer</i>	
Overdose / Poisoning (Ingestion)	<b>23</b>	<b>D</b>	<b>1</b>	<b>Unconscious</b>	<b>23-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>CHANGING COLOR</b>	<b>23-D-2</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>1</b>	Not alert	<b>23-C-1</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>2</b>	<b>Abnormal</b> breathing	<b>23-C-2</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	<b>Antidepressants</b> (tricyclic)	<b>23-C-3</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>4</b>	<b>Cocaine, methamphetamine</b> (or derivatives)	<b>23-C-4</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>5</b>	<b>Narcotics</b> (heroin)	<b>23-C-5</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>6</b>	<b>Acid</b> or <b>alkali</b> (lye)	<b>23-C-6</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>7</b>	<b>Unknown</b> status/ <b>Other</b> codes <b>not</b> applicable	<b>23-C-7</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>8</b>	<b>Poison Control</b> request for response	<b>23-C-8</b>	<i>Pri 2, Med Emer</i>	

		<b>B</b>	<b>1</b>	<b>OVERDOSE</b> (without priority symptoms)	<b>23-B-1</b>	<i>Pri 2, Med Emer</i>	
		<b>Ω</b>	<b>1</b>	<b>POISONING</b> (without priority symptoms)	<b>23-Ω-1</b>	<i>Transfer to Alternate Agency</i>	
Pregnancy / Childbirth / Miscarriage	<b>24</b>	<b>D</b>	<b>1</b>	<b>BREECH</b> or <b>CORD</b>	<b>24-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>Head visible/out</b>	<b>24-D-2</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>3</b>	<b>IMMINENT</b> delivery (≥ 5 months/20 weeks)	<b>24-D-3</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>4</b>	<b>3rd TRIMESTER</b> hemorrhage	<b>24-D-4</b>	<i>Pri 2, Med Emer</i>	
		<b>D</b>	<b>5</b>	<b>HIGH RISK</b> complications	<b>24-D-5</b>	<i>Pri 2, Med Emer</i>	
		<b>D</b>	<b>6</b>	<b>Baby born</b> (complications with <b>baby</b> )	<b>24-D-6</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>7</b>	<b>Baby born</b> (complications with <b>mother</b> )	<b>24-D-7</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>2nd TRIMESTER</b> hemorrhage or <b>MISCARRIAGE</b>	<b>24-C-1</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>2</b>	<b>1st TRIMESTER SERIOUS</b> hemorrhage	<b>24-C-2</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	<b>Baby born</b> (no complications)	<b>24-C-3</b>	<i>Pri 1, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>Labor</b> (delivery <b>not imminent</b> , ≥ 5 months/20 weeks)	<b>24-B-1</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>2</b>	<b>Unknown status/Other codes not applicable</b>	<b>24-B-2</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>1st TRIMESTER</b> hemorrhage or <b>MISCARRIAGE</b>	<b>24-A-1</b>	<i>Pri 2, Med Emer</i>	Quiet
		<b>Ω</b>	<b>1</b>	<b>Waters broken</b> (no contractions or presenting parts)	<b>24-Ω-1</b>	<i>Transfer to Alternate Agency</i>	
Psychiatric / Abnormal Behavior / Suicide Attempt	<b>25</b>	<b>D</b>	<b>1</b>	<b>Not alert</b>	<b>25-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>DANGEROUS</b> hemorrhage	<b>25-D-2</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>SERIOUS</b> hemorrhage	<b>25-B-1</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>2</b>	<b>Non-SERIOUS</b> or <b>MINOR</b> hemorrhage	<b>25-B-2</b>	<i>Pri 2, Med Emer</i>	

		<b>B</b>	<b>3</b>	<b>THREATENING SUICIDE</b>	<b>25-B-3</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>4</b>	<b>Jumper</b> (threatening)	<b>25-B-4</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>5</b>	<b>Near hanging, strangulation, or suffocation</b> (alert)	<b>25-B-5</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>6</b>	<b>Unknown status/Other codes not applicable</b>	<b>25-B-6</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>Non-suicidal and alert</b>	<b>25-A-1</b>	<i>Transfer to Alternate Agency</i>	
		<b>A</b>	<b>2</b>	Suicidal ( <b>not</b> threatening) and alert	<b>25-A-2</b>	<i>NOTIFY PD</i>	
Sick Person (Specific Diagnosis)	<b>26</b>	<b>D</b>	<b>1</b>	Not alert	<b>26-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>ALTERED LEVEL OF CONSCIOUSNESS</b>	<b>26-C-1</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>2</b>	<b>Abnormal breathing</b>	<b>26-C-2</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	<b>Sickle cell crisis/Thalassemia</b>	<b>26-C-3</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>Unknown status/Other codes not applicable</b>	<b>26-B-1</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>No priority symptoms</b> (complaint conditions 2-11 <b>not</b> identified)	<b>26-A-1</b>	<i>Transfer to Alternate Agency</i>	
		<b>A</b>	<b>2</b>	<b>NON-PRIORITY Complaints</b>	<b>26-A-2-XX</b>	<i>Transfer to Alternate Agency</i>	
		<b>Ω</b>	<b>1</b>	<b>This code is not in use</b>	<b>26-Ω-1</b>	<i>N/A</i>	
		<b>Ω</b>	<b>2</b>	<b>NON-PRIORITY Complaints</b>	<b>26-Ω-2-XX</b>	<i>Transfer to Alternate Agency</i>	
Stab / Gunshot / Penetrating Trauma	<b>27</b>	<b>D</b>	<b>1</b>	<b>Unconscious or Arrest</b>	<b>27-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	Not alert	<b>27-D-2</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>3</b>	<b>CENTRAL</b> wounds	<b>27-D-3</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>4</b>	<b>Multiple</b> wounds	<b>27-D-4</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>5</b>	<b>Multiple</b> victims	<b>27-D-5</b>	<i>Pri 1, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>NON-RECENT</b> (≥ 6 hrs) <b>single CENTRAL</b> wound	<b>27-B-1</b>	<i>Pri 2, Med Emer</i>	

		<b>B</b>	<b>2</b>	Known <b>single PERIPHERAL</b> wound	<b>27-B-2</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>3</b>	<b>SERIOUS</b> hemorrhage	<b>27-B-3</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>4</b>	<b>Unknown status/Other codes not applicable</b>	<b>27-B-4</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>5</b>	<b>OBVIOUS DEATH (explosive GSW to head)</b>	<b>27-B-5</b>	<i>NOTIFY PD</i>	
		<b>A</b>	<b>1</b>	<b>NON-RECENT (≥ 6hrs) PERIPHERAL wounds (without priority symptoms)</b>	<b>27-A-1</b>	<i>Pri 2, Med Emer</i>	
Stroke (CVA)	<b>28</b>	<b>C</b>	<b>1</b>	<b>Not alert</b>	<b>28-C-1</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>2</b>	<b>Abnormal breathing</b>	<b>28-C-2</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	<b>Speech problems</b>	<b>28-C-3</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>4</b>	<b>Numbness, paralysis, or movement problems</b>	<b>28-C-4</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>5</b>	<b>Vision problems</b>	<b>28-C-5</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>6</b>	<b>Sudden onset of severe headache</b>	<b>28-C-6</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>7</b>	<b>STROKE history</b>	<b>28-C-7</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>8</b>	<b>Breathing normally ≥ 35</b>	<b>28-C-8</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>Unknown status/Other codes not applicable</b>	<b>28-B-1</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>Breathing normally ≤ 35</b>	<b>28-A-1</b>	<i>Pri 2, Med Emer</i>	
Traffic / Transportation Incidents	<b>29</b>	<b>D</b>	<b>1</b>	<b>MAJOR INCIDENT (a through f)</b>	<b>29-D-1</b>	<i>MVA w/Entrapment</i>	
		<b>D</b>	<b>2</b>	<b>HIGH MECHANISM (k through s)</b>	<b>29-D-2</b>	<i>MVA w/Entrapment</i>	
		<b>D</b>	<b>3</b>	<b>HAZMAT</b>	<b>29-D-3</b>	<i>Haz-Mat</i>	
		<b>D</b>	<b>4</b>	<b>Pinned (trapped) victim</b>	<b>29-D-4</b>	<i>MVA w/Entrapment</i>	
		<b>D</b>	<b>5</b>	<b>Not alert</b>	<b>29-D-5</b>	<i>MVA w/Injury</i>	
		<b>B</b>	<b>1</b>	<b>Injuries</b>	<b>29-B-1</b>	<i>MVA w/Injury</i>	
		<b>B</b>	<b>2</b>	<b>SERIOUS</b> hemorrhage	<b>29-B-2</b>	<i>MVA w/Injury</i>	
		<b>B</b>	<b>3</b>	<b>Other hazards</b>	<b>29-B-3</b>	<i>MVA w/Injury</i>	

		<b>B</b>	<b>4</b>	<b>Unknown status/Other codes not applicable</b>	<b>29-B-4</b>	<i>MVA w/Injury</i>	
		<b>A</b>	<b>1</b>	<b>1st party caller with injury to NOT DANGEROUS body area</b>	<b>29-A-1</b>	<i>MVA w/Injury</i>	
		<b>Ω</b>	<b>1</b>	<b>No injuries (confirmed)</b>	<b>29-Ω-1</b>	<i>NOTIFY PD</i>	
Traumatic Injuries (Specific)	<b>30</b>	<b>D</b>	<b>1</b>	<b>Unconscious or Arrest</b>	<b>30-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>Not alert</b>	<b>30-D-2</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>3</b>	<b>Chest or Neck injury (with difficulty breathing)</b>	<b>30-D-3</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>POSSIBLY DANGEROUS body area</b>	<b>30-B-1</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>2</b>	<b>SERIOUS hemorrhage</b>	<b>30-B-2</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>NOT DANGEROUS body area</b>	<b>30-A-1</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>2</b>	<b>NON-RECENT (≥ 6hrs) injuries (without priority symptoms)</b>	<b>30-A-2</b>	<i>Pri 2, Med Emer</i>	Quiet
Unconscious / Fainting (Near)	<b>31</b>	<b>E</b>	<b>1</b>	<b>INEFFECTIVE BREATHING * (to be selected from Case Entry only)</b>	<b>31-E-1</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>1</b>	<b>Unconscious - AGONAL/INEFFECTIVE BREATHING</b>	<b>31-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>Unconscious - Effective breathing</b>	<b>31-D-2</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>3</b>	<b>Not alert</b>	<b>31-D-3</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>4</b>	<b>CHANGING COLOR</b>	<b>31-D-4</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>Alert with abnormal breathing</b>	<b>31-C-1</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>2</b>	<b>Fainting episode (s) and alert ≥ 35 (with cardiac history)</b>	<b>31-C-2</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	<b>Females 12-50 with abdominal pain</b>	<b>31-C-3</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>Fainting episode (s) and alert ≥ 35 (without cardiac history)</b>	<b>31-A-1</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>2</b>	<b>Fainting episode (s) and alert ≤ 35 (with cardiac history)</b>	<b>31-A-2</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>3</b>	<b>Fainting episode (s) and alert ≤ 35 (without cardiac history)</b>	<b>31-A-3</b>	<i>Pri 2, Med Emer</i>	Quiet

Unknown Problem (Man Down)	<b>32</b>	<b>D</b>	<b>1</b>	<b>LIFE STATUS QUESTIONABLE</b>	<b>32-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>B</b>	<b>1</b>	<b>Standing, sitting, moving, or talking</b>	<b>32-B-1</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>2</b>	<b>Medical Alarm</b> (Alert) notifications (no patient information)	<b>32-B-2</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>3</b>	<b>Unknown status/Other codes not applicable</b>	<b>32-B-3</b>	<i>Pri 2, Med Emer</i>	
		<b>B</b>	<b>4</b>	<b>Caller's language not understood (no interpreter in center)</b>	<b>32-B-4</b>	<i>Pri 2, Med Emer</i>	
Transfer / Interfacility / Palliative Care	<b>33</b>	<b>D</b>	<b>1</b>	<b>Suspected cardiac or respiratory arrest</b>	<b>33-D-1</b>	<i>Pri 1, Med Emer</i>	
		<b>D</b>	<b>2</b>	<b>Just resuscitated and/or defibrillated (external)</b>	<b>33-D-2</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>1</b>	<b>Not alert (acute change)</b>	<b>33-C-1</b>	<i>Pri 1, Med Emer</i>	
		<b>C</b>	<b>2</b>	<b>Abnormal breathing (acute onset)</b>	<b>33-D-2</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>3</b>	<b>Significant hemorrhage or shock</b>	<b>33-D-3</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>4</b>	<b>Possible acute heart problems or MI (heart attack)</b>	<b>33-D-4</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>5</b>	<b>Acute severe pain</b>	<b>33-D-5</b>	<i>Pri 2, Med Emer</i>	
		<b>C</b>	<b>6</b>	<b>Emergency response requested</b>	<b>33-D-6</b>	<i>Pri 2, Med Emer</i>	
		<b>A</b>	<b>1</b>	<b>ACUITY I (no priority symptoms)</b>	<b>33-A-1</b>	<i>Transfer to Alternate Agency</i>	
		<b>A</b>	<b>2</b>	<b>ACUITY II (no priority symptoms)</b>	<b>33-A-2</b>	<i>Transfer to Alternate Agency</i>	
		<b>A</b>	<b>3</b>	<b>ACUITY III (no priority symptoms)</b>	<b>33-A-3</b>	<i>Transfer to Alternate Agency</i>	